

Fish Cleaning Station

Self Contained, Reliable, Clean

Overview

The Monster Industrial Fish Cleaning Station is the most efficient fish cleaning station available. It turns fish waste into a slurry - easily flushed away. The self-contained unit uses a powerful HYDRO dual-shafted grinder to shred solids, such as fish parts, cans, plates, utensils and fishing lures. This prevents clogging and protects downstream equipment. The Monster Fish Cleaning Station is clean, cost effective and reliable.

The reason our system is reliable is the slow-speed, high-torque power of the 3–HYDRO grinder. Using an energy efficient 5-HP (3.7kW) motor our grinder slices through the toughest fish waste including big salmon heads, large catfish, bass carcasses and lots more.

Improve Your Park or Marina

The Monster Fish Cleaning Station is an excellent way to provide a pleasant park experience for residents and visitors. Fishermen enjoy the ease and convenience of our Fish Cleaning Station. And best of all, long lasting Monster Industrial equipment is reliable, and requires little maintenance. Grind it up, flush it down!



A Fish Cleaning Station ready to grind at a Michigan park.

Features & Benefits

Ease and Flexibility of Installation

 Complete system — pre-plumbed and pre-wired. Install indoors or outdoors. Optional lockable winter cover.

3-HYDRO Shredder

- Dual-shafted grinder reduces solids to small particles to prevent clogging and protect downstream equipment.
- Two powerful banks of cutters grab and shred fish parts, aluminum cans, plastic utensils, weights, line and more.
- Low speed operation results in higher torque and less interrupts. Pull-out stand for easy grinder access.

Spray Wash System

• Two or more easy to reach spray wands. Five programmable swirlspray nozzles. Meets the highest standards of National Sanitation Foundation[®].

Cutting Boards

• Stain-resistant, self draining polyethylene UHMW cutting boards are provided on both sides of the table.

Inlet Safety Guard

• Sized for safety and prevention of user access to the grinder.

Automated Control Panel


- Start, stop and timer system accessible from either end of table.
- Jam prevention system: grinder will stop, reverse rotation then resume forward rotation. If the object does not pass through unit, an alarm will illuminate or sound indicating maintenance is required.






www.jwce.com/ind

Monster Fish Cleaning Station







Ó

 $(\bigcirc$

0

[O]

Operation

1) User presses the 'Start' button and the grinder and spray wash system activate for a pre-programmed length of time

2) Wet or dry solids enter the 3-HYDRO dual-shafted grinder via the inlet.

3) Solids pass through the cutters and are reduced to a small particle size.

4) The ground material is flushed into the local sewer system. Solids pose no threat to downstream pumps.

Materials of Construction

Table: 14-gauge stainless steel.

Grinder Cutters: Heat treated alloy steel, surface ground for uniformity and through-hardened.

Seal Faces: Tungsten carbide / tungsten carbide.

Plumbing Includes: Pressure type vacuum breaker, solenoid actuated water valve and shut-off valve.

Optional Freeze Protection: Heat wrapped copper plumbing and lockable steel winter cover.



Heat Treated Cutters for Durability

Headquarters 290 Paularino Ave. Costa Mesa, CA 92626 USA Toll Free: (800) 331-2277 Phone: (949) 833-3888 Fax: (949) 833-8858 jwce@jwce.com Western Product Support 2600 S. Garnsey St. Santa Ana, CA 92707, USA Toll Free: (800) 331-2277 Phone: (949) 833-3888 Fax: (714) 751-1913 jwce@jwce.com Eastern Product Support 4485 Commerce Dr, Ste 109 Buford, GA 30518, USA Toll Free: (800) 331-8783 Phone: (770) 271-2106 Fax: (770) 925-9406 jwce@jwce.com

www.jwce.com/ind

©2013 JWC Environmental. JWCE's Santa Ana and Costa Mesa California facilities are registered by UL to ISO9001:2008 #10001313 QM8. JWC International Congleton, UK is registered by QAS to ISO9001:2008 File #A13056. U.S. patents apply: 4,919,346; 5,060,872; 5,320,286; 5,333,801; 5,354,004; 5,478,020; 5,505,388; 5,593,100; 6,176,443; 6,332,984; 7,073,433; 7,080,650; 7,081,171; 7,086,405; 7,383,842; 7,771,589; RE37,350E; RE37,349E; RE40,422; RE39,948E. Additional patents pending and international patents also apply. (MI-FCS-13-US)